

[54] CURABLE COMPOSITION

[75] Inventors: Eiichi Masuhara, Tokyo; Nobuo Nakabayashi, Matsudo; Morio Takeyama, Tokyo, all of Japan

[73] Assignee: Mitsui Petrochemical Industries Ltd., Tokyo, Japan

[21] Appl. No.: 916,851

[22] Filed: Jun. 19, 1978

[30] Foreign Application Priority Data

Jun. 28, 1977 [JP] Japan 52-76190
Oct. 13, 1977 [JP] Japan 52-121858

[51] Int. Cl.² C08F 222/16

[52] U.S. Cl. 526/318; 106/35;
260/901; 526/271

[58] Field of Search 260/901; 106/35;
526/MS File

[56]

References Cited

U.S. PATENT DOCUMENTS

3,063,969	11/1962	Stephens et al.	526/272
3,223,681	12/1965	Rambosek	106/35
3,539,526	11/1970	Bowen	106/35
3,835,090	9/1974	Gander et al.	106/35
3,932,556	1/1976	Takamori et al.	526/318
3,975,203	8/1976	Dietz	106/35

Primary Examiner—John Kight, III

Attorney, Agent, or Firm—Sherman & Shalloway

[57]

ABSTRACT

A curable composition comprising an aromatic dibasic acid having an ethylenically unsaturated group, such as 4-methacryloxyethyltrimellitate, or an acid anhydride thereof, other ethylenically unsaturated monomer and a catalyst is disclosed. This composition is applied between articles to be bonded together and is polymerized and cured to form an adhesive layer excellent in the water resistance and durability. This composition is especially valuable as a dental adhesive or as an undercoating agent for a paint or adhesive.

11 Claims, No Drawings